

SECTION 1. IDENTIFICATION

Product Identifier Ciment Fondu

Other Means of Identification

Hydraulic binder for concretes and dry-mix mortars

manufacturing

Recommended Use Professional use only

Restrictions on Use None known

Supplier Identifier Multiurethanes Ltd.

5245 Creekbank Rd

Mississauga, ON L4W 1N3

Canada

Emergency Telephone

Number

1-800-663-6633

SECTION 2. HAZARD IDENTIFICATION

Classification This mixture does not present physical, health or

environmental hazards. Refer to the recommendations

regarding the other products present on the site.

No labelling requirements are necessary for this substance

however, elements have been added as general safety

precautions.

Label Elements

Hazard Pictogram



Signal Word WARNING

<u>Hazard Statement</u> None

Precautionary Statements **Prevention**

Wear appropriate protective equipment.

Avoid breathing dust.

Wash hands and exposed skin after handling.



Response

IF ON SKIN: Remove contaminated clothing. Rinse off affected area with soap and water. Seek medical attention if concerned.

IF IN EYES: Wash thoroughly with fresh water for at least 15 minutes holding eyelids open. Seek medical attention if concerned.

IF INHALED: In case of exposure to high concentrations of dust, move the affected person away from the contaminated area and into the fresh air. Seek medical attention if concerned.

Storage

Store in a dry, cool place. Protect from moisture.

Disposal

Dispose of material in accordance with all applicable federal, state/provincial, and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator.

Other Hazards Not available

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Composition

Chemical Name	CAS No.	Concentration (% by weight)	Common Names / Synonyms	Other Identifiers
Cement, Alumina, Chemicals	65997-16-2	100%	Not available	Not available

Notes

No substance satisfies the criteria specified in annexe D, table D.1 of the HCS. Does not contain any detectable quantities of free lime or free crystalline silica (such as quartz, tridymite or cristobalite).

SECTION 4. FIRST-AID MEASURES

In case of exposure to high concentrations of dust, move the

affected person away from the contaminated area and into the

fresh air. Seek medical attention if concerned.

Skin Contact Remove contaminated clothing. Rinse off affected area with

soap and water. Seek medical attention if concerned.



Eye Contact Rinse cautiously with fresh water for at least 15 minutes

holding eyelids open. Seek medical attention if concerned.

Ingestion Seek medical attention.

Most Important Symptoms and Effects, Acute and

Delayed

None known

Indication of Immediate Medical Attention and Special Treatment Needed Treat symptomatically. If exposed or concerned, seek medical

advice and attention.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

<u>Suitable Extinguishing Media</u> Non-flammable; use media suitable to the surrounding fire.

Unsuitable Extinguishing

<u>Media</u>

Not available

Specific Hazards Arising

from the Product

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not

breathe in smoke.

Special Protective

Equipment and Precautions

for Firefighters

Exercise caution when fighting any chemical fire. Firefighters

should wear full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Do not get in eyes or on skin. Do not breathe dust. Use

appropriate personal protective equipment.

Methods and Material for Containment and Cleaning

Up

In the event of a spill or leak, sweep up material. Avoid creating excessive dust and minimize material from entering

waterways.

Notification Procedures Not available

Environmental Precautions Prevent material from entering drains or waterways.



SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Good housekeeping is needed during storage, transfer, handling, and use of this material to avoid excessive dust accumulation. Handle in accordance with good industrial hygiene and safety procedures. Always wash hands immediately after handling this product.

Conditions for Safe Storage (including incompatibilities)

Store in a dry, cool place. Protect from moisture.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters – Occupational Exposure Limits

Chemical Name	Type	Exposure Limit Values	Source
Cement, Alumina, Chemicals	TWA	Respirable particles = 5 mg/m ³	USA OSHA PEL
		Total particles = 15 mg/m³	
Cement, Alumina, Chemicals	TWA	Respirable particles = 3 mg/m ³	USA ACGIH TLV
		Total particles = 10 mg/m ³	

Appropriate Engineering

Controls

Not available

Individual Protection

Measures

<u>Eye/Face Protection</u> Avoid contact with eyes. Wear protective equipment

appropriate to prevent eye contact.

Skin Protection Wear suitable protective gloves in the event of prolonged or

repeated skin contact.

Respiratory Protection Wear a disposable half-mask dust filter in accordance with

standard EN149.

Hygiene Measures Do not eat, drink, smoke or use cosmetics while working with

this product. Upon completion of work, wash hands before

eating, drinking, smoking or use of toilet facilities.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Grey / brown powder or dust

Odour None



Odour Threshold Not applicable

pH (aqueous solution) 11 - 11.5 (20°C - 10%) (68°F - 10%)

Melting Point / Freezing

Point

1300°C (2372°F)

Initial Boiling Point and

Boiling Range

Not relevant

Flash Point Not relevant

Evaporation Rate

(BuAe = 1)

Not available

Flammability (solid, gas) Not available

Upper/Lower Flammability

or Explosive Limits

Not available

Vapour Pressure Not relevant

Vapour Density (air = 1) Not relevant

Relative Density (water = 1) 3.2 - 3.3

Solubility in Water Partially soluble. < 2%

Solubility (other) Not available

Partition Coefficient,

n-octanol / water (logKow)

Not available

Auto-ignition Temperature Not specified

Decomposition

Temperature

Not specified

Viscosity Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity In the presence of water, calcium aluminates react chemically

and harden to form stable calcium aluminate hydrates. This reaction is exo-thermal and may last up to 24 hours. The total

heat released is < 500 kJ/kg.



Chemical Stability Stable under recommended handling and storage conditions

(refer to section 7).

Possibility of Hazardous

Reactions

None under normal conditions.

Conditions to Avoid Avoid humidity, formation of dusts.

Incompatible Materials None known

Hazardous Decomposition

Products

None known

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicological Data

Chemical Name	<u>LC50</u>	<u>LD50</u>
Cement, Alumina,	> 100 mg/l	Not available
Chemicals	Species: Oncorhynchus mykiss	
	Duration of exposure: 96 h	
	OECD Guideline 203 (Fish, Acute Toxicity Test)	

Acute Toxicity Not available

Respiratory and/or Skin

Sensitization

Not available

Skin Corrosion / Irritation Not available

Serious Eye Damage /

Irritation

Not available

Specific Target Organ

Toxicity - Single Exposure

Dust from this product may cause irritation to the respiratory

tract.

Specific Target Organ

Toxicity - Repeated

Exposure

Not available

Reproductive Toxicity Not available

Germ Cell Mutagenicity Not available

Aspiration Hazard Not available



Information on Likely **Routes of Exposure**

Inhalation No

No **Skin Contact**

Eye Contact Nο

No Ingestion

Signs and Symptoms of

Exposure

Not available

Potential Chronic Health

Effects

Not available

Carcinogenicity Not available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity The product must not be allowed to run into drains or

waterways

Persistence and

Degradability

After hydration (several hours or several days under humid conditions), the product is stable in soil and in water, with a

negligible mobility of its components.

Bioaccumulative Potential Not relevant because cement is inorganic.

Mobility in Soil Not relevant because cement is inorganic.

Other Adverse Effects Not available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods Dispose of material in accordance with all applicable federal,

> state/provincial, and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of

the waste generator.



SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Technical Name (for N.O.S. entry)	Transport Hazard Class(es)	Packing Group
TDG	None	Not regulated	Not regulated	Not regulated	Not regulated
49 CFR/DOT	None	Not regulated	Not regulated	Not regulated	Not regulated
IMDG	None	Not regulated	Not regulated	Not regulated	Not regulated
ICAO/IATA	None	Not regulated	Not regulated	Not regulated	Not regulated

Tariff Classification Number 2523.30.0000

Special Precautions Not available

Environmental Hazards Refer to section 12.

Transport in bulk according to Annex II of MARPOL

73/78 and the IBC Code

Not available

SECTION 15. REGULATORY INFORMATION

Canadian Information

Canada inventory Calcium aluminate cement is listed in DSL inventory.

(DSL/NDSL)

NPRI Not available

CEPA Toxic substances Not available

US Information

<u>United States Inventory</u> Listed

(TSCA 8b)

Clean Water Act (CWA) 307 Unlisted

Clean Air Act Section 112 (b)

Hazardous Air Pollutants

(HAPs)

Unlisted

Clean Air Act Section 602

Class I Substances

Unlisted

Clean Air Act Section 602

Class II Substances

Unlisted



<u>DEA List I Chemicals</u> (Precursor Chemicals)

Unlisted

DEA List II Chemicals

Unlisted

(Essential Chemicals)

SARA 302/304 Unlisted

SARA 304 RQ Not available

SARA 311/312 Not available

SARA 313 Unlisted

State Regulation (MA) Unlisted

State Regulation (MN) Unlisted

State Regulation (NJ) Unlisted

State Regulation (PA) Unlisted

State Regulation (California

Prop. 65)

Unlisted

International Information Not available

SECTION 16. OTHER INFORMATION

Date of Latest Revision October 7, 2021

Disclaimer The information provided in this document is correct to the

best of our knowledge, information, and belief at the date of its

publication. This information is offered solely for the

consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use

of the product under every foreseeable condition. This

information is designed only as a general guidance and is not

to be considered a warranty or quality specification. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

above.

END OF SAFETY DATA SHEET